FREEMOTION.









COACHBIKE™

PRODUCT FEATURES

INTERACTIVE AND ENGAGING WORKOUT EXPERIENCE

A stunning 22-inch high-definition display delivers a near-endless library of iFit coaching sessions lead by more than 100 top trainers who motivate and inspire riders to continually push themselves. With Google Maps $^{\text{TM}}$, users may also create an endless supply of real-time, interactive routes.

AUTO-ADJUSTING

The interactive training experience leads users up 20% inclines and down 10% declines as the program automatically controls the bike's resistance, incline, and decline.

IMMERSIVE RIDE

With versatile handlebars, dual-sided pedals (SPD and toe strap), and an ergonomic resistance shifting system that auto-adjusts to virtual terrain changes, the CoachBike delivers a personalized and immersive riding experience.

AUTOBREEZE™ WORKOUT FAN

Riders stay cool throughout their workout with a conveniently-located 3-Speed Fan or select the $AutoBreeze^{TM}$ feature to enjoy a variable flow that responds to their cycling pace.

PERSONAL FIT

The simple adjustment knobs quickly provide many different saddle and handlebar combinations to fit every body type, ensuring each user receives a personal riding experience.

GATES CARBON DRIVE™ SYSTEM

This maintenance-free carbon drive system delivers the same quiet, smooth ride that a belt drive provides, with the strength and efficiency of a chain.

EASE OF MAINTENANCE

One of the most maintenance-friendly bikes on the market, the magnetic resistance system, carbon belt, rust-resistant aluminum frames, and hidden stainless steel hardware make it easy to clean and maintain without the need for replacement parts.

WARRANTY | NORTH AMERICA

7-Year Frame | 5-Year Belt | 2-Year Parts (Mechanical & Electronic) & Console | 1-Year Labor | 6-Month Wear Items

SPECIFICATIONS

JI ECII ICAI ION J	
Programs	Expansive iFit Library New Programs Added Daily
Google Maps™	Enabled
Tilting Display	22-inch (55.8 cm) HD Touchscreen
Decline/Incline	-10% to 20%
Workout Fan	AutoBreeze™ Fan
Accessories Holder(s)	Accessories Tray Dual Water Bottle Holders
Dual-Sided Pedals	Toe Strap and SPD (Shimano Pedaling Dynamics)
Connectivity	Ethernet or Wifi-min. 10 Mbp
Frame	Lightweight Aluminum Fram
Drive System	Gates Carbon GT Belt Drive System
Resistance System	Eddy Current Magnetic Resistance
Weight Capacity	350 lbs (159 kg)
Power Requirements	AC Plug-in (120/240V)
Product Dimensions (LxWxH)	57 × 24 × 63 in (144.8 × 61 × 160 cm)
Product Weight	168 lbs
Shipping Dimensions (LxWxH)	48.5 x 17.1 x 38 (123.2 x 43.4 x 96.5 cm)
Shipping Weight	200 lbs

FREEMOTION



FACILITY SPECIFICATION REQUIREMENTS

ELECTRICAL POWER

CoachBikes can be powered by a standard 15A Circuit. A maximum of five (5) bikes may be run safely on a single circuit.

NETWORK CONNECTIVITY

Freemotion requires a minimum of Category 5e (Cat5e) twisted pair ethernet cable. Freemotion recommends Category 6 (Cat6) twisted pair ethernet cable to ensure stable and efficient connection.

Freemotion requires all switching devices to be capable of handling up to 10/100/1000 Mbps, and a dedicated network connection for each connected fitness product. All connected products, whether on WiFi or via Ethernet, should be on a secure and protected network capable of providing a minimum bandwidth of 10 Mbps per unit.

